Atty. Dkt. No.: WT0148

B. CLAIMS

- 1. (currently amended) A game ball comprising a spherical carcass and a one-
- 2 piece seamless cover, the cover being free of a backing layer, the cover surrounding the
- 3 carcass and bonded to the carcass without an adhesive, the cover having a thickness less than
- 4 <u>0.5 mm</u> 0.8 mm.
- 1 2. (previously presented) The game ball of claim 1, wherein the cover is formed
- of a material selected from the group consisting of a wet process polyurethane, a dry process
- 3 polyurethane, a coagulated polyurethane, other polyurethanes and combinations thereof.
- 1 3. (previously presented) The game ball of claim 1, wherein the carcass includes
- a bladder and at least one thread wound around the bladder.
- 1 4. (previously presented) The game ball of claim 3, wherein the carcass further
- 2 includes at least one panel molded over the thread-wound bladder.
- 5. (previously presented) The game ball of claim 1, wherein the cover is formed
- of a material having a density within the range of 200-1200 kg/m³.
- 6. (previously presented) The game ball of claim 1, wherein the cover is formed
- of a material having a density within the range of 400-600 kg/m³.
- 7. (previously presented) The game ball of claim 1, wherein the cover is formed
- of a material having a density within the range of 250-350 kg/m³.
- 8. (previously presented) The game ball of claim 1, wherein the cover is formed
- of a material having a density within the range of 600-850 kg/m³.
- 9. (currently amended) The game ball of claim 1 wherein the cover has a
- 2 thickness within the range of <u>0.1 mm to 0.5 mm</u> 0.2 and 0.75 mm.

- 1 10. (canceled) The game ball of claim 1, wherein the cover has a thickness of less 2 than 0.5 mm.
- 1 11. (currently amended) A game ball comprising:
- a carcass; and
- a cover layer formed without a backing layer and without seams, the cover
- 4 layer substantially surrounding the carcass, the cover layer having a thickness less than 0.8
- 5 mm, the cover layer being selected from the group consisting of a sprayed-on cover, a painted-
- on cover, an electro-statically painted-on cover, a brushed-on cover, a dipped-on cover, and
- 7 combinations thereof.
- 1 12. (currently amended) The game ball of claim 11, wherein the cover layer is a one-piece, integrally formed structure.
- 1 13. (previously presented) The game ball of claim 11 wherein the cover layer is
- 2 formed of a material selected from the group consisting of a urethane, a wet process
- polyurethane, a dry process polyurethane, a coagulated polyurethane, other polyurethanes, a
- 4 plastic, and combinations thereof.
- 1 14. (previously presented) The game ball of claim 11 wherein the carcass includes
- an inflatable bladder and at least one thread wound around the bladder.
- 1 15. (previously presented) The game ball of claim 14 wherein the carcass further
- 2 includes at least one panel molded over the thread-wound bladder.
- 1 16. (previously presented) The game ball of claim 11, wherein the cover layer is
- 2 formed of a material having a density within the range of 200-1200 kg/m³.
- 1 17. (previously presented) The game ball of claim 11, wherein the cover layer is
- 2 formed of a material having a density within the range of 400-600 kg/m³.

- 1 18. (previously presented) The game ball of claim 11, wherein the cover layer is 2 formed of a material having a density within the range of 250-350 kg/m³.
- 1 19. (previously presented) The game ball of claim 11, wherein the cover layer is 2 formed of a material having a density within the range of 600-850 kg/m³.
- 1 20. (previously presented) The game ball of claim 11 wherein the cover layer is 2 formed around the carcass without the use of an adhesive agent.
- 1 21. (previously presented) The game ball of claim 11 further comprising an 2 adhesive agent at least partially connecting the cover layer to the carcass.
- 1 22. (currently amended) The game ball of claim 11 wherein the cover layer has a thickness within the range of 0.1 mm to 0.5 mm 0.2 and 0.75 mm.
- 1 23. (previously presented) The game ball of claim 11, wherein the game ball is 2 selected from the group consisting of a basketball, a football, a soccer ball and a volleyball.
- 1 24. (previously presented) The game ball of claim 11, wherein the cover layer has 2 a thickness of less than 0.5 mm.
- 25. (canceled) A game ball comprising a spherical carcass and a cover, the cover including a thin layer of backing cloth and a cover including a resilient cover material integrally formed with the thin layer of backing, the cover material selected from the group
- 4 consisting of a wet process polyurethane, a dry process polyurethane, a coagulated
- 5 polyurethane, other polyurethanes and combinations thereof, the cover surrounding the carcass
- and having a thickness less than 0.8 mm.
- 1 26. (canceled) The game ball of claim 25 wherein the cover is bonded to carcass with an adhesive.

- 27. (canceled) The game ball of claim 25, wherein the cover material has a density within the range of 200-1200 kg/m³.
- 1 28. (canceled) The game ball of claim 25, wherein the cover material has a density within the range of 400-600 kg/m³.
- 1 29. (canceled) The game ball of claim 25, wherein the cover material has a density within the range of 250-350 kg/m³.
- 1 30. (canceled) The game ball of claim 25, wherein the cover material has a a density within the range of 600-850 kg/m³.
- 1 31. (canceled) The game ball of claim 25, wherein the cover has a thickness 2 within the range of 0.2 and 0.75 mm.
- 1 32. (canceled) The game ball of claim 25, wherein the cover has a thickness of less than 0.5 mm.